

Beetles

- [Bean Leaf Beetle](#)

- [Bean leaf beetle \(red phase and yellow phase\)](#)
- [Several color phases of the bean leaf beetle](#)
- [Bean leaf beetle \(red phase\)](#)
- [Bean leaf beetles on early-emerging soybean](#)
- [Bean leaf beetle](#)
- [Bean Leaf Beetle](#)
- [Bean Leaf Beetle Feeding](#)
- [Bean Leaf Beetle \(red phase\)](#)
- [Bean leaf beetle without spots](#)
- [Bean leaf beetle \(yellow phase\)](#)
- [Bean leaf beetle \(yellow phase\)](#)
- [Counting Bean Leaf Beetle](#)
- [Sampling bean leaf beetles](#)

- [Blister Beetle](#)

- [Black blister beetle](#)
- [Margined blister beetle](#)

- [Click Beetle](#)

- [Wireworms: pests of corn seed](#)
- [Click Beetle](#)
- [Wireworm damage to corn seed](#)
- [Wireworm \(hard-bodied species\)](#)
- [Wireworm \(soft-bodied species\)](#)

- [Colorado Potato Beetle](#)

- [Colorado Potato Beetle feeding](#) 

- [Corn Rootworm Beetle](#)



Previews:

Off On

Entomology
Department

Image Gallery

Insect Zoo

Iowa Insect Notes

Entomology Index

Integrated Crop
ManagementHorticulture and
Home Pest News

Site Index

**IOWA STATE
UNIVERSITY**

- [Southern corn rootworm \(spotted cucumber beetle\)](#)
- [Corn rootworm larva](#)
- [Corn rootworms can injure corn roots](#)
- [Female Western Corn Rootworm beetle with eggs expressed](#)
- [Heavy feeding injury caused by rootworm larvae](#)
- [Northern corn rootworm](#)
- [Northern corn rootworm adult](#)
- [Ovipositor expressed from a Western Corn Rootworm](#)
- [Western corn rootworm beetle](#)

- [Flea Beetle](#)
 - [Flea beetle](#)
 - [Corn Flea Beetles on Leaf](#)
 - [Flea beetle](#)

- [Ladybird Beetles](#)
 - [Twelvespotted lady beetle](#)
 - [Sevenspotted lady beetle](#)
 - [Fifteenspotted lady beetle](#)
 - [Convergent lady beetle](#)
 - [Asian multicolored lady beetle](#)
 - [Asian lady beetle feeding on soybean aphids](#)
 - [Coccinella septempunctata](#)
 - [Coleomegilla maculata](#)
 - [Cycloneda munda](#)
 - [Hippodamia convergens](#)
 - [Hippodamia tredecimpunctata](#)

- [Scarab Beetles and White Grubs](#)
 - [Japanese beetles feeding on corn silks](#)
 - [Japanese beetles feeding on soybean leaves](#)
 - [False Japanese beetle](#)
 - [True white grub](#)
 - [Manure \(*Aphodius*\) Grubs](#)
 - [White grub](#)
 - [True white grub rasters](#)

- [Annual and True White Grub](#)
- [True White Grub](#)
- [Japanese Beetle](#)

- [Southern Corn Leaf Beetle](#)
 - [Southern Corn Leaf Beetle](#)

- [Seedcorn Beetles](#)
 - [Seedcorn beetle](#)
 - [Slender seedcorn beetle](#)

- [Soybean Leaf Miner](#)
 - [Cluster of 37 soybean leafminers](#)
 - [Adult soybean leaf miner](#)

- [Weevils](#)
 - [Alfalfa Weevil](#)
 - [Alfalfa weevil larvae](#)
 - [Alfalfa weevil larvae](#)
 - [Alfalfa weevil size](#)
 - [Alfalfa Weevil](#)
 - [Claycolored Billbug](#)
 - [Clover leaf weevil larva](#)
 - [Cloverleaf Weevil](#)
 - [Imported Longhorned Weevil](#)
 - [Southern Corn Billbug](#)

Iowa State University Entomology Department. Last modified 7/10/03 by John VanDyk.